

## **C24S7/N Total Black – Limited Edition**



# C24S mobile roller cab with 7 drawers

#### Main features:

- 7 drawers, 588x367 mm, with ball bearing slides:
- ❖ 5 drawers, 70 mm high
- ❖ 1 drawer, 140 mm high
- ❖ 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm:
- **❖** 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Thermoplastic worktop designed to match tool chests C22S, C23S, C23SC and C23ST
- Integrated side bottle holder.
- Paper roll holder item 2400S-R/PC can also be included.

#### - Limited Edition -







# **5904U/MP** 91 TOOLS ASSORTMENT IN SOFT FOAM TRAYS




Recommended combined with these roller cabs: C24S-C24SL-C33-C39-C28-C59









# y Beta

# 340 Multilayer pipe cutting pliers

- Multilayer pipe cutting pliers, max. Ø 26 mm
- PTFE-coated blade
- 4 support rollers making it easier to rotate pipe during cutting jobs





system for cutting corrugated pipes built into handle



### **1827F** Butane gas soldering iron



- > Automatic ignition
- > Safety latch to prevent mis-fire
- > Hands-free lock for continuous use
- > Detachable fuel container with stand
- > 35g Butane fuel container

(Refilled by Butane Lighter Gas)

- > MAX Running Time: **120 mins**
- > MAX Flame temperature: 1350°C
- > supplied with a stand in hard case



#### 3 interchangeable **nozzles**:

- Swirl Flame Nozzle (1300°C): provides a hot, efficient flame for large diameter soldering, brazing and heat treating.
- o **Pin Point Flame Nozzle** (1000°c): for smaller work areas, suitable to work onto vertical surfaces
- Hot blower tip (550°c): for variety of projects, including melting and heat on plastic made object

# 1772M safety utility knife



- safety utility knife with retractable blade, supplied with 4 blades
- Die-cast alloy body
- Staple remover built into handle



Adjustable cutting depth 5-25mm





# 1922P reversible ratchet with hammer face



- "Double rocking dog" impulse device
- Easy tightening: hammer face system eliminates wrist twisting at end of screwing and shortens operating time
- Compact and powerful: maximum torque is significantly higher than maximum torque as achieved with a conventional ratchet
- Ergonomic rubber handle

High torque without any knockback on the wrist





## **New line of Pneumatic impact ratchets**



	<u>Traditional line</u>	<u>Impact line</u>
	1921B1	1922P1
1/4"		CBeta
	L = 130 mm	L = 164 mm
	C <sub>MAX</sub> = <b>24 Nm</b>	C <sub>MAX</sub> = 68 Nm
	1921M2	1922P2
3/8"		CBeta
	L = 198 mm	L = 164 mm
	C <sub>MAX</sub> = <b>27 Nm</b>	C <sub>MAX</sub> = 68 Nm
	1921N3	1922P3
1/2"		C'Beta C'Beta
	L = 258 mm	L = 301 mm
	<b>C</b> <sub>MAX</sub> = 68 Nm	C <sub>MAX</sub> = 136 Nm


# 1924F Butterfly compact reversible impact wrench



- "Double rocking dog" impulse device
- Ergonomic and compact, for enhanced ease of use in small, hardly accessible areas
- Extremely lightweight and handy
- Reversible tilting butterfly lever
- Three power adjustable positions
- Remarkable weight/power ratio; it allows torques of up to 108 Nm to be reached









#### 1944A Axial needle scaler



- Allows needles to come out as much as needed by changing scaler tube position
- Suitable for removing rust and paint
- Axial design allows access to small spaces
- Fitted with 19 needles (Ø 3 mm)
- Can be used with 28-needle kit (Ø 2 mm)



375mm

Optional set of 28 needles, Ø 2mm, for needle scaler (January)

