

2018

Beta

1498/30A Electronic Battery charger Range extension

electronic multipurpose battery charger,
6-12-24V

Allows batteries to be charged and powers motor vehicles during diagnostic operations:

- maximum continuous charging current: 30A
- charging and maintenance
- battery recovery
- reprogramming and power supply
- protected against polarity reversal, short circuits, incorrect voltage and overload

TECHNICAL DATA

Power supply: 220-240V

Power: 500W

Charging current: 5-30A

Battery types: Agm - Wet - Lithium (LiFePo4)

Charging capacity: 5-300Ah

Maintenance capacity: 5-900Ah

Output voltage: 6-12-24 Volt



2018

Beta

1498/120A Electronic Battery charger / Range extension

electronic multipurpose battery charger,
6-12-24V

Allows batteries to be charged and powers motor
vehicles during diagnostic operations

- maximum continuous charging current: 120A
- charging and maintenance with CPU
microprocessor
- battery recovery
- reprogramming and power supply ECU
- protected against polarity reversal, short circuit
incorrect voltage and overload

TECHNICAL DATA

Power supply: 90-260V

Power: 1500W

Charging current: 10-120A

Battery type: Agm - Wet - Lithium (LifePo4)

Charging capacity: 10-1200Ah

Maintenance capacity: 5-3600Ah

Output voltage: 12 Volt

Cable length, with clamps: 2700 mm



100 - 120 Amp
continui
continuous

Microprocessing
CPU controller



2018

Beta

960PI/C19 ASSORTMENT OF 19 TOOLS FOR CLEANING INJECTOR SEATS

Kit content:

- 11 flat reamers, \emptyset :
14/14 mm - 15.5/15.5 mm - 15/19 mm - 17/19 mm - 17/17.5 mm
17/19 mm - 17/19.5 mm - 17/20 mm - 18/21 mm - 19 mm - 20/21 mm
- 4 angled reamers, \emptyset :
15.5/15.5 mm - 17/17 mm - 17.5/20.5 mm - 17/21 mm
- Handle and cutter accessories




2018

Beta

1472FC/GE

HEAVY DUTY CLIC® COLLARS PLIERS

Clic® collar pliers with swivel heads
L=mm 230



2018

Beta

1485BPM half-moon tool with aluminium jaws for locking multi-groove pulleys

can be adjusted through swivel handle;
tightens and locks pulley from outside,
preventing the close sensors from getting
damaged



2018

1485 MTJ /1.3 distribution chain pulley locking tool

Beta

5 precise check pins allow
totally safe jobs on chain




2018

1485PMTJ driving shaft pulley release lever for Multijet engines

Beta

Designed to lock driving shaft while removing pulley



2018

1485FCA/K2 COUPLE OF TOOLS TO TENSION THE TIMING BELT BEARING FCA GROUP


Beta

Suitable for 1.2 1.4 8/16V. and 1.4 Multiair
L=175mm P 13,5mm
L=305 mm P 13,5mm



1485VAG/K2

It's not suitable for FCA group



2018

1485FRD/T TENSIONING LEVER FOR SERVICE BELTS MOUNTED ON FORD ENGINES

Beta

can be used to remove alternator pulleys



VERY DIFFICULT ACCESS



2018

Beta

1493/C7 SELF-LOCKING OIL FILTER WRENCHES



Ø 50÷100 mm

- 2 different versions of legs,
with anti-slip diamond finish
- Short version 20 mm
 - Long version 38 mm

2018

1493X/1-2 SELF-LOCKING OIL FILTER WRENCHES
LEFT HAND TIGHTENING

Beta



1493/X1 diam. 60÷80 mm / 2.9mm